

License

ENEC-05360

Issue date

2025-05-21





This is to acknowledge that

LUMILEDS MALAYSIA SDN BHD

NO 3, LINTANG BAYAN LEPAS 8 KAWASAN PERINDUSTRIAN BAYAN LEPAS FASA 4,MUKIM 12 PULAU PENANG, PULAU PINANG 11900 MALAYSIA

Built-in LED Module

has had

L225-xxyy008MLUzzz, L225-xxyy012MLUzzz, L225-xxyy016MLUzzz

See page 2 for additional Information

evaluated and meets the requirements of the standard

EN IEC 62031:2020, EN IEC 62031:2020/A11:2021

Test Report Nos. 4791710853 issued on 2025-05-20

Certification Manager Thomas Wilson

UL International Demko A/S, Borupvang 5A, 2750 Ballerup, Denmark, Tel. +45 44 85 65 65

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this License, in accordance with the ENEC Requirements. The Designated License holder is entitled to use the ENEC 15 Mark (as shown in annex 1) for the Certified Product manufactured at the production site(s) identified above in accordance with the ENEC Mark Service Agreement including without limitation the ENEC Mark Testing and Certification Services Service Terms. Only those Products bearing the ENEC Mark should be considered as being covered by UL's ENEC Mark Service. This License shall remain valid unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this License is amended or withdrawn prior the Date of Withdrawal of conflicting Standard(s).



ENEC LICENSE TECHNICAL DETAILS

Production site(s)



Trademark



Ratings

Imax: 1600 mA Vdc tc max: 85 °C (see test report for further ratings)

Additional Information

Models (continued from page 1)


Series: L225-xxyy008MLUzzz, L225-xxyy012MLUzzz, L225-xxyy016MLUzzz

xx = CCT, may be two digits. yy = CRI, may be two digits.

zzz= commercial use, may be three digits.



ENEC LICENSE FORM OF THE ENEC MARK



15 is the identification number of the Certification Body

Size of the mark:

The size of the mark may be reduced on the condition that it remains legible and that the ratio b/a=1,7 is kept.

