



Ref. Certif. No.

DK-156625-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Built-in LED Package

Name and address of the applicant

Lumileds (Shanghai) Management Co., Ltd.
Building 1-A, No. 19 & 20, Lane 299
Wenshui Road, Jingan District, Shanghai, 200072
China

Name and address of the manufacturer

Lumileds (Shanghai) Management Co., Ltd.
Building 1-A, No. 19 & 20, Lane 299
Wenshui Road, Jingan District, Shanghai, 200072
China

Name and address of the factory

Lumileds (Shanghai) Management Co., Ltd.
Building 1-A, No. 19 & 20, Lane 299
Wenshui Road, Jingan District, Shanghai, 200072
China

Note: When more than one factory, please report on page 2

☐ Additional Information on page 2

Ratings and principal characteristics

Imax 1200 mA \equiv Vmax 6,6 V
(see test report for further ratings)

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

L150-6570500600HH0, L150-4070500600HH0, L150-aabb5006xxHHy
☒ Additional Information on page 2

Additional information (if necessary may also be reported on page 2)

☐ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC TR 62778:2014

As shown in the Test Report Ref. No. which forms part of this Certificate

4791427962_1 issued on 2024-08-20

This CB Test Certificate is issued by the National Certification Body



- ☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2024-08-22

Signature:

Thomas Wilson



Ref. Certif. No.

DK-156625-UL

Additional Model Detail(s):

L150-aabb5006xxHHy,
where

aa - designates nominal ANSI CCT (18=1800K, 22=2200K, 27=2700K, 30=3000K, 35=3500K, 40=4000K, 50=5000K, 57=5700K, 65=6500K)

bb - designates minimum CRI (70=70CRI, 80=80CRI, 90=90CRI)

xx - reserved for internal code, could be any alphanumeric characters from 0 to 9 and A to Z.

y - reserved for internal code, could be any alphanumeric characters from 0 to 9 and A to Z.

Additional information (if necessary)



- ☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2024-08-22

Signature:

Thomas Wilson